



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS,
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/666,796	09/18/2003	Yen-Fu Chen	AUS920030302US1	9021

35525 7590 02/07/2007
IBM CORP (YA)
C/O YEE & ASSOCIATES PC
P.O. BOX 802333
DALLAS, TX 75380

EXAMINER

MISIASZEK, MICHAEL

ART UNIT	PAPER NUMBER
----------	--------------

3625

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	02/07/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary	Application No. 10/666,796	Applicant(s) CHEN ET AL.	
	Examiner Michael Misiaszek	Art Unit 3625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 September 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>7/26/2006</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

Applicant's amendments filed 9/18/2006 have been received and reviewed. The status of the claims is as follows:

Claims 1-28 are pending.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1, 2, 4-7, 9, 10-14, 15, 16, 18-20, 21, 22, and 24-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mikurak (US 6671818 B1) in view of Fraenkel et al. (US 20030065986 A1, hereinafter Fraenkel) and Brown et al. (US 20030055677 A1, hereinafter Brown).

Regarding Claims 1, 15, 21

Mikurak discloses a method and system for a utility computing environment comprising:

- setting service level thresholds for the utility computing environment, wherein the service level thresholds are based on a service level agreement with a customer (at least column 44, lines 62-67 and column 45, lines 1-8: thresholds set with SLA)

Art Unit: 3625

- identifying at least one discrepancy between the promised service level and the current service level (at least column 44, lines 62-67 and column 45, lines 1-8: performance goals tracked, notifications generated when not met)
- providing a rebate to the customer for the at least one discrepancy (at least column 47, lines 9-19: rebates given for SLA breaches)

Mikurak does not disclose:

- displaying a view of a current service level for the customer
- presenting a view of a promised service level based on service level agreement parameters
- wherein the rebate assures that the customer pays for services rendered, wherein the rebate is generated for guaranteed uniformity, wherein guaranteed uniformity is the process of crediting the customer when successfully completing a service request using less time and resources than specified in the service level agreement

Fraenkel teaches that it is known to include presenting and displaying a view of service level (at least figure 14) in a similar environment. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the method and system, as taught by Mikurak, with the presenting and displaying a service level, as taught by Fraenkel, since such a modification would have provided increased accuracy in monitoring resource performance and determining performance problems

Art Unit: 3625

through a software system that monitors post-deployment operations of systems (at least paragraph [0011] of Fraenkel).

Brown teaches that it is known to include generating a rebate to credit a customer when completing a service request using less time and resources than specified in a service agreement (at least paragraph [0065]: utility service terms include rebate for unutilized capacity) in a similar environment. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the method and system, as taught by Mikurak, with the rebating for unutilized resources, as taught by Fraenkel, since such a modification would have provided increased accuracy in charging customers for utility usage (at least paragraph [0065] of Brown).

Art Unit: 3625

Regarding Claims 2, 4-7, 9, 16, 22

Mikurak discloses:

- the service level agreement parameters include at least one of a duration, a transaction, a configuration, and a threshold (at least column 44, lines 62-67 and column 45, lines 1-8: thresholds set with SLA)
- the service level thresholds are used to generate a warning prior to the occurrence of the at least one discrepancy (at least column 73, lines 54-67: alarms from proactive threshold manager)
- the discrepancy is identified by at least one of breaching the service level agreement, exceeding the service level agreement parameters, and completing a service request prior to a promised service level completion time (at least column 44, lines 62-67 and column 45, lines 1-8: performance goals tracked, notifications generated when not met, i.e., exceeding thresholds)
- the service level thresholds are set for at least one of a customer, a service provider, and a utility computing host (at least column 44, lines 62-67 and column 45, lines 1-8: thresholds set with SLA for customer)
- alerting the at least one of the customer, the service provider, and the utility computing host of the at least one discrepancy and a root cause for the at least one discrepancy (at least column 74, lines 1-18: notification events generated based on hardware failures/problems)

Art Unit: 3625

Mikurak does not disclose:

- the view of a current service level is at least one of a real-time view and a historical view

Fraenkel teaches that it is known to include a real-time or historical view of service level (at least figure 14: views of service level) in a similar environment. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the method and system, as taught by Mikurak, with the real-time or historical view of service level, as taught by Fraenkel, since such a modification would have provided increased accuracy in monitoring resource performance and determining performance problems through a software system that monitors post-deployment operations of systems (at least paragraph [0011] of Fraenkel).

Art Unit: 3625

Regarding Claims 10, 18, 24

Mikurak discloses:

- presenting a promised service level based on a service level agreement (at least column 46, lines 1-9: customer reports generated of SLA parameters)

Mikurak does not disclose:

- displaying at least one of an infrastructure view and an application view of a current service level for a customer, wherein the infrastructure view contains information technology hardware and software components, wherein the application view contains software applications residing on utility computing resources, and wherein the infrastructure view and the application view are linked
- retrieving additional details of the at least one of the infrastructure view and the application view by clicking on a component of the at least one of the infrastructure view and the application view
- switching between the infrastructure view and the application view
- wherein the infrastructure view and the application view show a relationship between the current service level and the promised service level and wherein the relationship indicates a progress level of a service request with respect to a service level agreement with a customer

Fraenkel teaches that it is known to include an infrastructure view containing information technology hardware and software components (at least figure 29: server and memory performance and software performance displayed) and an application view containing software applications (at least figure 22: software (transaction performance displayed), linking the views (at least figures 22, 29: pages linked by menu on left side), retrieving additional details with a mouse click (at least figures 22, 29: date menus at top can be clicked to retrieve additional details), and switching between views (at least figures 22, 29: views switched between via menu on left side) in a similar environment. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the system and method, as taught by Mikurak, with the infrastructure view and application view, and their functionalities, as taught by Fraenkel, since such a modification would have provided increased accuracy in monitoring resource performance and determining performance problems through a software system that monitors post-deployment operations of systems (at least paragraph [0011] of Fraenkel).

Art Unit: 3625

Brown teaches that it is known to include presented a view of a relationship between a promised service level and a current service level (at least figure 6A: allocated utility capacity and actual utility usage) in a similar environment. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the system and method, as taught by Mikurak, with the display of a relationship of service levels, as taught by Brown, since such a modification would have provided an improved utility management for customers through an interface that allows a user to identify activities that result in utility overuse (at least paragraph [0089] of Brown).

Art Unit: 3625

Regarding Claims 11-14, 19, 20, 25, 26, 27

Mikurak discloses:

- alerting at least one of a customer, a service provider, and a utility computing host of a discrepancy between the current service level and the promised service level (at least column 44, lines 62-67 and column 45, lines 1-8: performance goals tracked, notifications generated when not met)
- providing a rebate to a customer when at least one discrepancy between the current service level and the promised service level occurs (at least column 47, lines 9-19: rebates given for SLA breaches)
- the at least one discrepancy is based on at least one of exceeding a service level agreement parameter, breaching a service level agreement, and completing a service request prior to a promised service level completion time (at least column 44, lines 62-67 and column 45, lines 1-8: performance goals tracked, notifications generated when not met, i.e., exceeding thresholds)

Art Unit: 3625

Mikurak does not disclose:

- a view of the current service level includes at least one of a warning, an alert, a breach, a duration, a transaction, a configuration, a threshold, a rebate, a utility computing resource, a consumed computer resource, and a consumed human resource
- wherein the rebate assures that the customer pays for services rendered, wherein the rebate is generated for guaranteed uniformity, wherein guaranteed uniformity is the process of crediting the customer when successfully completing a service request using less time and resources than specified in the service level agreement
- wherein the relationship shows a severity level for the discrepancy

Fraenkel teaches that it is known for the view of a service level to include a transaction (at least figure 14: transactions displayed) in a similar environment. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the method and system, as taught by Mikurak, with the inclusion of a transaction in a service level view, since such a modification would have provided increased accuracy in monitoring resource performance and determining performance problems through a software system that monitors post-deployment operations of systems (at least paragraph [0011] of Fraenkel).

Art Unit: 3625

Brown teaches that it is known to include generating a rebate to credit a customer when completing a service request using less time and resources than specified in a service agreement (at least paragraph [0065]: utility service terms include rebate for unutilized capacity) and to show severity level of a discrepancy (at least figure 6B: utility margins show level of difference between allocated and used utility capacity) in a similar environment. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the method and system, as taught by Mikurak, with the rebating for unutilized resources and indicating severity of discrepancies, as taught by Brown, since such a modification would have provided increased accuracy in charging customers for utility usage (at least paragraph [0065] of Brown).

Art Unit: 3625

2. Claims 3, 8, 17, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mikurak in view of Fraenkel and Brown, as applied to claims 1, 15, and 21 above, and further in view of Steele et al. (US 20040174823 A1, hereinafter Steele).

The combination of Mikurak, Brown and Fraenkel discloses the claimed invention except for:

- modifying the service level thresholds using a graphical user interface
- providing an option to customize the view of the current service level and the view of the promised service level

Steele teaches that it is known to include modifying service level thresholds using a graphical user interface (at least paragraph [0031]: user enters SLA parameters in window) and providing an option to customize a view associating with a service level (at least claim 18: SLA window can be customized) in a similar environment. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the method and system, as taught by Mikurak, Brown and Fraenkel, with the modifying service level thresholds and customizing views, as taught by Steele, since such a modification would have provided a means to create service level agreements efficiently without requiring a network administrator to approve each customer's agreement (at least paragraph [0004] of Steele).

Art Unit: 3625

3. Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mikurak in view of Fraenkel and Brown, as applied to claims 1, 15, and 21 above, and further in view of Vukovljak et al. (US 20050286685 A1, hereinafter Vukovljak). The combination of Mikurak, Fraenel, and Brown discloses the claimed invention except for:

- a severity level indicator comprises a red light, yellow light and green light on a traffic light

Vukovljak teaches that it is known to include traffic light indicators for service level data (at least paragraph [0100]) in a similar environment. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the method and system, as taught by Mikurak, Fraenkel, and Brown, with the traffic light indicators, as taught by Vukovljak, since such a modification would have provided increased robustness and scalability in enterprise management through realtime testing and reporting of service levels (at least paragraph [0010] of Vukovljak).

Response to Arguments

Applicant's arguments with respect to claims 1-28 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Misiasek whose telephone number is (571) 272-6961. The examiner can normally be reached on 8:00 AM - 4:30 PM, Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey A. Smith can be reached on (571) 272-6763. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3625

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Michael A. Misiaszek
Patent Examiner
2/1/2007



YOGESH C. GARG
PRIMARY EXAMINER
TECHNOLOGY CENTER 3600